

Kacise Load Cell Catalogue

凯兴称重传感器目录

Xi'an Kacise Optronics Tech Co., Ltd has a professional and experienced R&D team, advanced production technology and equipment, allowing us to strictly control product costs while ensuring high quality, high precision and high stability, and provide customers with cost-effective weighing measurement load cells.

Starting from the production of single-point sensors for high-precision electronic balances, our scale has grown considerably, with a complete range of production testing equipment and advanced process standards. Product models are more diverse and applications are more extensive.

Our products include high-precision S-type and single-ended shear beam load cells, column sensors, load cells for elevators, feeder scales, packaging scales, and high-precision sensors for checkweighers. The company's micro-sensors developed and produced specifically for robots, button feel testers, hot and cold press pressure detection, medical syringe pumps, and various industrial and logistics automation are welcomed by the market. In addition, we can also provide customers with OEM, ODM services.

Our load cells are widely sold all over the world and are well received and praised by customers. Our load cells produced by higher standards can maintain stability and consistency for a long time, and can adapt to various harsh working conditions.

Looking forward to establishing long-term win-win business cooperation with you!

西安凯兴具有专业而经验丰富的研发团队,先进的生产工艺和设备,让我们在保证高质量,高精度,高稳定性的同时,严格的控制产品成本,给客户提供高性价比的称重测力传感器。

从生产高精度电子天平的单点式传感器开始,发展至今,我们的规模有了长足的发展,各类齐全的生产检测设备,先进的工艺标准。产品型号更加多样,应用更加广泛。

产品包括高精度的 S 型和单端剪切梁式称重传感器,柱式传感器,电梯用称重传感器,喂料秤用,包装秤用,检重秤用高精度传感器等。

公司专为机器人、按键手感度测试仪、冷热压机压力检测、医疗注射泵及各类工业和物流自动化研制生产的微型传感器更是深得市场欢迎。此外,我们也可给客户提供 OEM, ODM 服务。

我们的称重传感器广销世界各地,深受客户的好评与称赞。我们以更高标准生产的称重传感器,能够长期的保持稳定性和一致性,能够适应各种严苛的工况环境。

期待与您建立长期共赢的商务合作!



SINGLE POINT LOAD CELLS

单点式称重传感器

KLP series

<p>651 Aluminum alloy 铝合金</p>		<p>Cap: 500g, 1Kg, 2Kg, 3Kg, Best total error better than 0.006% of rated output, Suitable for electronic balances, Jewellery balances of high precision, And kinds of electronic weighing devices of high precision 量程: 500g, 1Kg, 2Kg, 3Kg 总误差低于输出灵敏度的 0.006% 适用于电子天平, 高精度珠宝秤, 以及各种高精度的电子称重设备</p>
<p>651C Aluminum alloy 铝合金</p>		<p>Cap: 200g, 300g, 600g, 1Kg, 2Kg, 3Kg, 6Kg Best total error better than 0.006% of rated output, Suitable for electronic balances, Jewellery balances of high precision, And kinds of electronic weighing devices of high precision 量程: 200g, 300g, 600g, 1Kg, 2Kg, 3Kg, 6Kg 总误差低于输出灵敏度的 0.006% 适用于电子天平, 高精度秤, 以及各种高精度的电子称重设备</p>
<p>651CW Aluminum alloy 铝合金</p>		<p>Cap: 30g, 60g, 150g, 200g Best total error better than 0.006% of rated output, Suitable for electronic balances, Jewellery balances of high precision, And kinds of electronic weighing devices of high precision 量程: 30g, 60g, 150g, 200g 总误差低于输出灵敏度的 0.006% 适用于电子天平, 高精度秤, 以及各种高精度的电子称重设备</p>
<p>651D Aluminum alloy 铝合金</p>		<p>Cap: 1Kg, 2Kg, 3Kg, 5Kg, 8Kg, 10Kg, 15Kg, 20Kg Best total error better than 0.006% of rated output, Suitable for electronic balances, Jewellery balances of high precision, And kinds of electronic weighing devices of high precision 量程: 1Kg, 2Kg, 3Kg, 5Kg, 8Kg, 10Kg, 15Kg, 20Kg 总误差低于输出灵敏度的 0.006% 适用于电子天平, 高精度秤, 以及各种高精度的电子称重设备</p>
<p>651E Aluminum alloy 铝合金</p>		<p>Cap: 200g, 500g, 1Kg, 2Kg, 3Kg, 6Kg Best total error better than 0.006% of rated output, Suitable for electronic balances, Jewellery balances of high precision, And kinds of electronic weighing devices of high precision 量程: 200g, 500g, 1Kg, 2Kg, 3Kg, 6Kg 总误差低于输出灵敏度的 0.006% 适用于电子天平, 高精度秤, 以及各种高精度的电子称重设备</p>
<p>651ES Aluminum alloy 铝合金</p>		<p>Cap: 200g, 500g, 1Kg, 2Kg, 3Kg, 6Kg Best total error better than 0.006% of rated output, Suitable for electronic balances, Jewellery balances of high precision, And kinds of electronic weighing devices of high precision 量程: 200g, 500g, 1Kg, 2Kg, 3Kg, 6Kg</p>

		<p>总误差低于输出灵敏度的 0.006%</p> <p>适用于电子天平, 高精度秤, 以及各种高精度的电子称重设备</p>
<p>651F</p> <p>Aluminum alloy 铝合金</p>		<p>Cap: 4Kg, 5Kg, 8Kg, 10Kg, 15Kg, 20Kg</p> <p>High accuracy</p> <p>Suitable for Electronic price scale, Electronic packing scale, And kinds of electronic weighing devices</p> <p>量程: 4Kg, 5Kg, 8Kg, 10Kg, 15Kg, 20Kg</p> <p>高准确度</p> <p>适用于电子计价秤, 电子包装秤, 以及各种电子称重设备</p>
<p>651G</p> <p>Aluminum alloy 铝合金</p>		<p>Cap: 1Kg, 2Kg, 3Kg, 5Kg, 8Kg, 10Kg, 15Kg, 20Kg</p> <p>Total error better than 0.006%of rated output, Suitable for electronic balances, Jewelry balances of high precision, And kinds of electronic weighing devices of high precision</p> <p>量程: 1Kg, 2Kg, 3Kg, 5Kg, 8Kg, 10Kg, 15Kg, 20Kg</p> <p>总误差低于输出灵敏度的 0.006%</p> <p>适用于电子天平, 高精度秤, 以及各种高精度的电子称重设备</p>
<p>651JM</p> <p>Aluminum alloy 铝合金</p>		<p>Cap: 200g, 500g, 1Kg, 2Kg, 3Kg, 6Kg</p> <p>Best total error better than 0.006%of rated output, Suitable for electronic balances, Jewellery balances of high precision, And kinds of electronic weighing devices of high precision</p> <p>量程: 200g, 500g, 1Kg, 2Kg, 3Kg, 6Kg</p> <p>总误差低于输出灵敏度的 0.006%</p> <p>适用于电子天平, 高精度秤, 以及各种高精度的电子称重设备</p>
<p>608A</p> <p>Aluminum alloy 铝合金</p>		<p>Cap: 500Kg, 750Kg, 1t, 1.5t, 2t</p> <p>High accuracy</p> <p>Suitable for electronic price scale, platform scale, And other electronic weighing devices</p> <p>量程: 500Kg, 750Kg, 1t, 1.5t, 2t</p> <p>高准确度</p> <p>适用于电子计价秤, 台秤, 以及其它电子称重设备</p>
<p>615P</p> <p>Aluminum alloy 铝合金</p>		<p>Cap: 200g, 500g, 1Kg, 2Kg, 3Kg, 6Kg</p> <p>Best total error better than 0.006%of rated output, Suitable for electronic balances, Jewellery balances of high precision, And kinds of electronic weighing devices of high precision</p> <p>量程: 200g, 500g, 1Kg, 2Kg, 3Kg, 6Kg</p> <p>总误差低于输出灵敏度的 0.006%</p> <p>适用于电子天平, 高精度秤, 以及各种高精度的电子称重设备</p>
<p>618A</p> <p>Aluminum alloy 铝合金</p>		<p>Cap: 300g, 500g, 1Kg, 2Kg, 3Kg, 6Kg</p> <p>Suitable for Industrial control system and education equipment</p> <p>量程: 300g, 500g, 1Kg, 2Kg, 3Kg, 6Kg</p> <p>适用于工业控制系统及教育设备</p>

<p>618D Aluminum alloy 铝合金</p>		<p>Cap: 3Kg, 5Kg, 8Kg, 20Kg, 30Kg, 50Kg Suitable for pricing scale, counting scale, Code scale And other electronic weighing devices 量程: 3Kg, 5Kg, 8Kg, 20Kg, 30Kg, 50Kg 适用于计价秤, 计数秤以及其它电子称重设备</p>
<p>628A Aluminum alloy 铝合金</p>		<p>Cap: 3Kg, 4.5Kg, 5Kg, 6Kg, 7Kg, 10Kg, 15Kg, 20Kg, 30Kg, 50Kg, 80Kg, 100Kg Suitable for electronic balances, Pricing scale, counting scale of high precision, And kinds of electronic weighing devices of high precision 量程: 3Kg, 4.5Kg, 5Kg, 6Kg, 7Kg, 10Kg, 15Kg, 20Kg, 30Kg, 50Kg, 80Kg, 100Kg 适用于高精度的计价秤, 电子天平, 计数秤, 以及其它高精度的电子称重设备</p>
<p>628HB Aluminum alloy 铝合金</p>		<p>Cap: 15Kg, 20Kg, 30Kg, 50Kg, 80Kg, 100Kg, Suitable for electronic balances, Pricing scale, counting scale of high precision, And kinds of electronic weighing devices of high precision 量程: 15Kg, 20Kg, 30Kg, 50Kg, 80Kg, 100Kg 适用于高精度的计价秤, 电子天平, 计数秤, 以及其它高精度的电子称重设备</p>
<p>638A Aluminum alloy 铝合金</p>		<p>Cap: 5Kg, 10Kg, 15Kg, 20Kg, 30Kg, 50Kg, 75Kg, 100Kg, 150Kg, 200Kg, Suitable for check weigher, platform scale, and kinds of electronic weighing devices. 量程: 5Kg, 10Kg, 15Kg, 20Kg, 30Kg, 50Kg, 75Kg, 100Kg, 150Kg, 200Kg, 适用于称重分级机, 台秤, 以及多种电子称重设备</p>
<p>648A Aluminum alloy 铝合金</p>		<p>Cap: 10Kg, 15Kg, 20Kg, 30Kg, 50Kg, 75Kg, 100Kg, 200Kg Suitable for platform scale, belt scale And other electronic weighing devices. 量程: 10Kg, 15Kg, 20Kg, 30Kg, 50Kg, 75Kg, 100Kg, 200Kg 适用于台秤, 皮带秤, 以及其它电子称重设备</p>
<p>658A Aluminum alloy 铝合金</p>		<p>Cap: 10Kg, 15Kg, 20Kg, 30Kg, 50Kg, 75Kg, 100Kg, 200Kg, 300Kg, Suitable for platform scale, belt scale And other electronic weighing devices. 量程: 10Kg, 15Kg, 20Kg, 30Kg, 50Kg, 75Kg, 100Kg, 200Kg, 300Kg 适用于台秤, 皮带秤等电子称重设备</p>
<p>668A Aluminum alloy 铝合金</p>		<p>Cap: 60Kg, 100Kg, 200Kg, 300Kg Suitable for platform scale, belt scale And other electronic weighing devices. 量程: 60Kg, 100Kg, 200Kg, 300Kg 适用于台秤, 皮带秤等电子称重设备</p>
<p>688A Aluminum alloy 铝合金</p>		<p>Cap: 60Kg, 100Kg, 150Kg, 200Kg, 300Kg, 500Kg, 600Kg, 750Kg, Suitable for Platform scale, belt scale, Medical weighing, egg grading scale 量程: 60Kg, 100Kg, 150Kg, 200Kg, 300Kg, 500Kg, 600Kg, 750kg 适用于台秤, 皮带秤, 医疗称重, 分蛋器等</p>

<p>688B Aluminum alloy 铝合金</p>		<p>Cap: 50Kg, 75Kg, 100Kg, 150Kg, 200Kg, 300Kg, 500Kg, 750Kg Suitable for Medical weighing, Platform scale 量程: 50Kg, 75Kg, 100Kg, 150Kg, 200Kg, 300Kg, 500Kg, 750Kg 适用于医疗称重, 台秤</p>
<p>698A Aluminum alloy 铝合金</p>		<p>Cap: 50Kg, 100Kg, 150Kg, 200Kg, 250Kg, 300Kg, 500Kg, 600Kg, 750kg Suitable for Medical weighing, platform scale, 量程: 50Kg, 100Kg, 150Kg, 200Kg, 250Kg, 300Kg, 500Kg, 600Kg, 750Kg, 适用于医疗称重, 台秤</p>
<p>613A Alloy steel/ stainless steel 合金钢/不锈钢</p>		<p>Cap: 100Kg, 200Kg, 300Kg, 500Kg, 1000Kg, 2000Kg, 3000Kg, 5000Kg, 10000Kg, 20000Kg Suitable of floor scale, Hopper scale, and kinds of weighing devices. 量程: 100Kg, 200Kg, 300Kg, 500Kg, 1000Kg, 2000Kg, 3000Kg, 5000Kg, 10000Kg, 20000Kg 适用于电子地磅, 料斗秤, 以及其它称重设备</p>
<p>613B Alloy steel/ stainless steel 合金钢/不锈钢</p>		<p>Cap: 100Kg, 200Kg, 300Kg, 500Kg, 1000Kg, 2000Kg, 3000Kg, 5000Kg, 10000Kg, 20000Kg Suitable of floor scale, Hopper scale, and kinds of weighing devices. 量程: 100Kg, 200Kg, 300Kg, 500Kg, 1000Kg, 2000Kg, 3000Kg, 5000Kg, 10000Kg, 20000Kg 适用于电子地磅, 料斗秤, 以及其它称重设备</p>
<p>614A Alloy steel/ stainless steel 合金钢/不锈钢</p>		<p>Cap: 5Kg, 10Kg, 20Kg, 50Kg, 100Kg, 200Kg, 350Kg, 500Kg Suitable for belt scale, platform scale, education equipment and kinds of weighing devices 量程: 5Kg, 10Kg, 20Kg, 50Kg, 100Kg, 200Kg, 350Kg, 500Kg 适用于皮带秤, 台秤, 教学设备, 以及各种称重设备</p>
<p>623B Alloy steel/ stainless steel 合金钢/不锈钢</p>		<p>Cap: 500Kg, 1000Kg, 2000Kg, 2500Kg, 3000Kg, 3500Kg, 5000Kg, 10000Kg, 500Kg, 20000Kg, 25000Kg, 50000Kg Suitable for truck scale, hopper scale and kinds of weighing devices 量程: 500Kg, 1000Kg, 2000Kg, 2500Kg, 3000Kg, 3500Kg, 5000Kg, 10000Kg, 15000Kg, 20000Kg, 25000Kg, 50000Kg 适用于汽车衡, 漏斗秤以及各种称重设备</p>

S-TYPE&TENSION LOAD ECLS

S 型及拉式称重传感器

KLS series

<p>615A Aluminum alloy 铝合金</p>		<p>Cap: 200Kg, 500Kg, Suitable for weaving, Crane scale, and other weighing devices. 量程: 200Kg, 500Kg 适用于纺织机械, 市秤以及其它的称重设备</p>
<p>615B Aluminum alloy 铝合金</p>		<p>Cap: 200Kg, 500Kg, Suitable for weaving, Crane scale, and other weighing devices. 量程: 200Kg, 500Kg 适用于纺织机械, 市秤以及其它的称重设备</p>
<p>625B Aluminum alloy 铝合金</p>		<p>Cap: 1Kg, 2Kg, 3Kg, 5Kg, 10Kg, 20Kg, 30Kg, Suitable for Crane scale, mechanical conversion scale, Hopper scale and other weighing devices 量程: 1Kg, 2Kg, 3Kg, 5Kg, 10Kg, 20Kg, 30Kg 适用于吊秤, 机械转换秤, 料斗秤以及其它称重设备</p>
<p>635A Alloy steel/ stainless steel 合金钢/不锈钢</p>		<p>Cap: 50Kg, 100Kg, 200Kg, 300Kg, 500Kg, 1000g, SE2000Kg, 2000Kg, 5000Kg, 10000Kg, Suitable for Crane scale, mechanical conversion scale , Hopper scale and other weighing devices 量程: 50Kg, 100Kg, 200Kg, 300Kg, 500Kg, 1000Kg, SE2000Kg, 2000Kg, 5000Kg, 10000Kg, 适用于吊秤, 机械转换秤, 料斗秤以及其它称重设备</p>
<p>635E Alloy steel/ stainless steel 合金钢/不锈钢</p>		<p>Cap: 1t, 2t, 3t, 5t, 10t, 20t, 30t, 40t, 50t, 60t, 100t, 120t Suitable for Crane scale, mechanical conversion scale, Hopper scale and other weighing devices 量程: 1t, 2t, 3t, 5t, 10t, 20t, 30t, 40t, 50t, 60t, 100t, 120t 适用于吊秤, 机械转换秤, 料斗秤以及其它称重设备</p>
<p>635H Alloy steel/ stainless steel 合金钢/不锈钢</p>		<p>Cap: 10000Kg, 20000Kg, 50000Kg Suitable for Crane scale and other weighing devices 量程: 10000Kg, 20000Kg, 50000Kg 适用于吊秤, 以及其它称重设备</p>
<p>635N Alloy steel/ stainless steel 合金钢/不锈钢</p>		<p>Cap: 5000Kg, 7500Kg, 10000Kg, 15000Kg, 20000Kg, 30000Kg Suitable for Crane scale, mechanical conversion scale, Hopper scale and other weighing devices 量程: 5000Kg, 7500Kg, 10000Kg, 15000Kg, 20000Kg, 30000Kg 适用于吊秤, 机械转换秤, 料斗秤以及其它称重设备</p>

DOUBLE ENDED BEAM LOAD CELLS

桥式称重传感器

KLQ Series

<p>612A Alloy steel/ stainless steel 合金钢/不锈钢</p>		<p>Cap:10t,20t,30t,40t Suitable for Truck scale, and other weighing devices 量程: 10t,20t,30t,40t 适用于汽车衡, 以及其它称重设备</p>
<p>612B Alloy steel/ stainless steel 合金钢/不锈钢</p>		<p>Cap:10t,20t,30t,40t,50t Suitable for Truck scale, and other weighing devices 量程: 10t,20t,30t,40t,50t 适用于汽车衡, 以及其它称重设备</p>
<p>612M Alloy steel/ stainless steel 合金钢/不锈钢</p>		<p>Cap:1t,2t,3t,5t,7t,10t,20t,30t,40t,50t,60t Suitable for Truck scale, and other weighing devices 量程: 1t,2t,3t,5t,7t,10t,20t,30t,40t,50t,60t 适用于汽车衡, 以及其它称重设备</p>
<p>643A Alloy steel/ stainless steel 合金钢/不锈钢</p>		<p>Cap:5Klb,10Klb,20Klb,30Klb,60Klb,100Klb,150Klb,200Klb Suitable for Truck scale, and other weighing devices 量程: 5Klb,10Klb,20Klb,30Klb,60Klb,100Klb,150Klb,200Klb 适用于汽车衡, 以及其它称重设备</p>
<p>653A Alloy steel/ stainless steel 合金钢/不锈钢</p>		<p>Cap:10Klb,20Klb,35Klb,50Klb,75Klb,100Klb Suitable for Axle weigher and other weighing devices 量程: 10Klb,20Klb,35Klb,50Klb,75Klb,100Klb 适用于汽车轴重仪以及其它称重设备</p>
<p>663A Alloy steel/ stainless steel 合金钢/不锈钢</p>		<p>定义 Cap:10klb,45Klb,50Klb,100Klb Suitable for Truck scale. Hostile environment 量程: 10Klb,45Klb,50Klb,,100klb 适用于汽车衡, 恶劣环境称重</p>
<p>693B Alloy steel/ stainless steel 合金钢/不锈钢</p>		<p>Cap:10klb,25Klb,40Klb,,50Klb,75klb Suitable for Truck and Silo Weigher 量程: 10Klb,25Klb,40Klb,50Klb,75klb 适用于汽车衡, 灌装称重</p>

COLUMN LOAD CELLS

柱式称重传感器

KLZ Series

617A

Alloy steel/
stainless steel
合金钢/不锈钢



Cap: 10t, 20t, 30t, 40t, 50t, 60t
Suitable for Material testing machines, Hostile environments
量程: 10t, 20t, 30t, 40t, 50t, 60t
适用于材料试验机, 环境监测设施

617A-MA

Alloy steel/
stainless steel
合金钢/不锈钢



Cap: 10t, 20t, 30t, 40t, 50t, 60t
Suitable for Material testing machines, Hostile environments
量程: 10t, 20t, 30t, 40t, 50t, 60t
适用于材料试验机, 环境监测设施

617A-MF

Alloy steel/
stainless steel
合金钢/不锈钢



Cap: 10t, 20t, 30t, 40t
Suitable for Material testing machines, Hostile environments
量程: 10t, 20t, 30t, 40t
适用于材料试验机, 环境监测设施

DISK LOAD CELLS

轮辐式称重传感器

KLL Series

616A

Alloy steel/
stainless steel
合金钢/不锈钢



Cap: 25Kg, 50Kg, 200Kg, 1000Kg, 2000Kg, 3000Kg, 5000Kg, 10000Kg, 20000Kg
Suitable for Truck Scale, On board vehicle weighing
量程: 25Kg, 50Kg, 200Kg, 1000Kg, 2000Kg, 3000Kg, 5000Kg, 10000Kg, 20000Kg
适用于汽车衡, 车载称重

656A

Alloy steel/
stainless steel
合金钢/不锈钢



Cap: 1000Kg. . . . 30000Kg
Suitable for Truck Scale, on board vehicle weighing, Low profile platform scales;
Dynamometers, Material Testing Machines, Hostile environments
量程: 1000Kg. . . . 30000Kg
适用于汽车衡、船载称重、小尺寸台秤、测力计、材料检验设备以及环境监测设备

656C

Alloy steel/
stainless steel
合金钢/不锈钢



Cap: 0. 5t, 1t, 2t, 3t, 5t, 10t, 20t, 30t
Suitable for Truck Scale, On board vehicle weighing, Dynamometers
Low profile platform scale, Material Testing Machines, Hostile environments
量程: 0. 5t, 1t, 2t, 3t, 5t, 10t, 20t, 30t
适用于汽车衡、船载称重、小尺寸台秤、测力计、材料检验设备以及环境监测

WEIGH MODULES

称重模块

KLM Series

617A-M

Alloy steel/
stainless steel
合金钢/不锈钢



Cap: 10t, 20t, 30t, 40t, 50t, 60t
Suitable for Material testing machines, Hostile environments
量程: 10t, 20t, 30t, 40t, 50t, 60t
适用于材料试验机, 环境监测设施

AUTOMATIC CONTROL

自动化工控

KLA Series

701A

Aluminum alloy
铝合金



Cap: 0.5kg-50kg
Suitable for Automatic industrial control, Intelligent equipments
量程: 0.5kg-50kg
适用于自动化工业控制, 智能化设备

712A

Aluminum alloy
铝合金



Cap: 850kg
Suitable for Automatic industrial control, Intelligent equipments
量程: 850kg
适用于自动化工业控制, 智能化设备

713A

Aluminum alloy
铝合金



Cap: 0.5kg-50kg
Suitable for Automatic industrial control, Intelligent equipments
量程: 0.5kg-50kg
适用于自动化工业控制, 智能化设备

714A

Aluminum alloy
铝合金



Cap: 15kg
Suitable for Automatic industrial control, Intelligent equipments
量程: 15kg
适用于自动化工业控制, 智能化设备

721A

Aluminum alloy
铝合金



Cap: 1.0kg-100kg
Suitable for Automatic industrial control, Intelligent equipments
量程: 1.0kg-10kg
适用于自动化工业控制, 智能化设备

731A

Aluminum alloy
铝合金



Cap: 3.0kg-100kg
Suitable for Automatic industrial control, Intelligent equipments
量程: 3.0kg-100kg
适用于自动化工业控制, 智能化设备

711A

Alloy steel/
stainless steel
合金钢/不锈钢



Cap: 30000kg
Suitable for Automatic industrial control, Intelligent equipments
量程: 30000kg
适用于自动化工业控制, 智能化监测设备

OVERLOAD & LIMIT

过载及限位

KLG Series

<p>911A Aluminum alloy 铝合金</p>		<p>Cap: 800kg Suitable for Overload and limit equipments, Elevator, Gravity measurement 量程: 800kg 适用于过载及限位设备, 电梯、升降机系统设备、重力检测</p>
<p>914A Aluminum alloy 铝合金</p>		<p>Cap: 50-500kg Suitable for Overload and limit equipments, Elevator, Gravity measurement 量程: 50-500kg 适用于过载及限位设备, 电梯、升降机系统设备、重力检测</p>
<p>921A Aluminum alloy 铝合金</p>		<p>Cap: 500-2000kg Suitable for Overload and limit equipments, Elevator, Gravity measurement 量程: 500-2000kg 适用于过载及限位设备, 电梯、升降机系统设备、重力检测</p>
<p>931A Aluminum alloy 铝合金</p>		<p>Cap: 500-2000kg Suitable for Overload and limit equipments, Elevator, Gravity measurement 量程: 500-2000kg 适用于过载及限位设备, 电梯、升降机系统设备、重力检测</p>
<p>941A Aluminum alloy 铝合金</p>		<p>Cap: 1800-2500kg Suitable for Overload and limit equipments, Elevator, Gravity measurement 量程: 1800-2500kg 适用于过载及限位设备, 电梯、升降机系统设备、重力检测</p>
<p>961A Aluminum alloy 铝合金</p>		<p>Cap: 1.0-10kg Suitable for Overload and limit, Gravity measurement, Laboratory instrument 量程: 1.0-10kg 适用于过载及限位设备, 重力检测, 实验室教学仪器</p>